## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6149198"   "6471226").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 15:11
S2	1243	watt and vehicle and axle	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 15:32
S3	6	(watt near2 strut) and vehicle and axle	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 15:33
S4	9	("4570968"   "5236209"   "5310211"   "5597175"   "56979175"   "5695394"   "6010155"   "6019383"   "6460865").FN. OR ("6789811").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 15:49
\$5	57	("2180860"   "2323007"   "2814480"   "2814480"   "2814799"   "2994396"   "3231040"   "3408983"   "3768829"   "3801086"   "4146104"   "4262929"   "4309045"   "4379572"   "4410201"   "4722549"   "4756550"   "4900057"   "5203585"   "5366037"   "5368322"   "5368322"   "5378371"   "5458359"   "Re33630") FN. OR ("5649719") URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12

S6	1	S4 and watt	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 15:57
S7	5	S5 and watt	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 15:58
S8	2439	((280/124.117) or (280/124.128) or (280/124.133) or (280/124.134) or (280/124.137) or (280/124.148) or (280/124.149) or (280/124.152) or (280/124.155) or (280/124.157). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/12 16:35
S9	37	S8 and watt	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 16:35
S10	31	S9 not (S1 S3 S4 S5 S6 S7)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 16:36
S11	350	S8 and twist\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/12 16:57
S12	12	(US-20060237938-\$ or US-20070063473-\$ or US-20070063473-\$ or US-20070001417-\$). did. or (US-6471226-\$ or US-6019383-\$ or US-5659919-\$ or US-5649719-\$ or US-7144023-\$ or US-6789811-\$ or US-6209896-\$ or US-6499754-\$ or US-5566969-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/16 09:05
S13	6	S12 and watt	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:05
S14	27	(watt with (strut link \$3 rod)) with (bend angle)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:13
S15	73	strut with (bend with longitudinal with axis)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:29

S16	4	vehicle and strut with (bend with longitudinal with axis)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:29
S17	18	vehicle and strut with (bend with axis)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:30
S18	315	vehicle and (strut with bend)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:32
S19	853	vehicle and (strut with (bend bent))	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:32
S20	314	vehicle and (strut with (bend bent)) and (roll \$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/09/16 09:32
S21	755	((280/93.51) or (280/93.502)).OOLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/16 09:59

## 9/16/2008 4:31:16 PM

C:\Documents and Settings\dbrown3\My Documents\EAST\Workspaces\10560382 Watts strut twisted on itself w hydroformed bearing bush.wsp